
Microsoft macOS Experience & Lifecycle



Agenda

- History
- Building Blocks
 - Desktop Apps
 - SSOe
 - Conditional Access
- Q&A


History

25 years and 11 months ago







App	Mac	Windows	Mac headstart		
PowerPoint	Apr 20, 1987	May 22, 1990	3 years, 1 month		
Excel	Sep 30, 1985	Nov 19, 1987	2 years, 2 months		
Word	Jan 18, 1985	Jan 8, 1990	5 years		
Office suite	Jun 19, 1989	Oct 1, 1990	1 year, 3 months		
Outlook	Outlook 1997		(tie)		




disinfection of the skin is carried out on the usual lines, any chemical agent being finally got rid of, however, by means of alcohol followed by saline


solution.






Building Blocks










Desktop Apps

- •Obtain
- •Install
- Manage
- •Update


Obtain


• • • • •



Choose the best productivity suite for your business

Compare and choose from a variety of plans designed for businesses like yours.





Update Size CVE Counter Silicon/M1 Videos Articles A-Team

Obtain

Microsoft Mac Downloads

Page Last Updated: July 13, 2023 @ 12:18pm Pacific Time

All links on this page point to Microsoft's official download on its Content Delivery Network (CDN).

Office Product Release	License Type	Office Version	Build	Part Number	Download
Microsoft 365 Apps for Mac	Subscription	16.75.0	16.75.23070901 64-bit Universal 2	Subscription	Download
Microsoft 365 Apps for Mac BusinessPro	Subscription	16.75.0	16.75.23070901 64-bit Universal 2	Subscription (inc Teams)	Download
Office LTSC 2021 Volume License Serializer	Perpetual	16.75.0	VL Serializer 4.0 64-bit Universal 2	X22-74226	<u>Download</u>
Office 2019 Volume License Serializer	Perpetual	16.75.0	VL Serializer 3.0 64-bit Universal 2	X22-61752	<u>Download</u>
Office 2021/2019 Volume License	Perpetual	16.75.0	16.75.23070901 64-bit Universal 2	X21-74715	<u>Download</u>
Office 2021/2019 Home & Student Retail	Perpetual	16.75.0	16.75.23070901 64-bit Universal 2	X21-74729	Download

2023 Calendar Now Available


Latest Installers Raw XML

Latest Released Package	Last Updated	CFBundle Version	CFBundle ShortVersionString	CFBundle Identifier	Minimum OS	SHA256 Hash	Worldwide Download
Microsoft 365 and Office 2021/2019 Suite Installer (Word / Excel / PowerPoint / Outlook / OneNote / OneDrive / MAU)	July 11, 2023	16.75.23070901	16.75.0	NA	11.0	17bfbf5a5eb4756094172e14d3a6667bf41d396d082fd03b2d395013bc5310d4	
Microsoft 365 BusinessPro Suite Installer (Word / Excel / PowerPoint / Outlook / OneNote / OneDrive / Teams / MAU)	July 11, 2023	16.75.23070901	16.75.0	NA	11.0	064dc3584aaa5af035dbed2671b29238206bc7ab523ddbff88773cd4e5b20cf9	
Word 365/2021/2019 Standalone Installer	July 11, 2023	16.75.23070901	16.75.0	com.microsoft.Word	11.0	560d24479bce0de72b50dc47f36b4734104378b3561814b18465522d72e45953	W
Excel 365/2021/2019 Standalone Installer	July 11, 2023	16.75.23070901	16.75.0	com.microsoft.Excel	11.0	9a49d52e856a0dcd063dbc1e90d26c32e9db83fb239a995a5f48c2eddf4dc6ce	X
PowerPoint 365/2021/2019 Standalone Installer	July 11, 2023	16.75.23070901	16.75.0	com.microsoft.Powerpoint	11.0	3ccbb84595b426a9e2d21f7aeb0f5e45a51703095d390dff59a997e0b85b7cac	P
Outlook 365/2021/2019 Standalone Installer (Weekly) More info about weekly updates	July 11, 2023	16.75.23070901	16.75.0	com.microsoft.Outlook	11.0	d9ae98fd3d0bd6c4abf6d7f5ff19ce853391a0f8f5c22afe5abfe2092e558f86	0
Outlook 365/2021/2019 Standalone Installer (Monthly)	July 11, 2023	16.75.23070901	16.75.0	com.microsoft.Outlook	11.0	d9ae98fd3d0bd6c4abf6d7f5ff19ce853391a0f8f5c22afe5abfe2092e558f86	0
OneNote Free Standalone Updater	July 11, 2023	16.75.23070901	16.75.0	com.microsoft.onenote.mac	11.0	c3d1e7539cb1c692a24327e069ca7b1447757b40d533c7d54d729e63d95d70de	N
OneDrive Standalone Installer	July 9,	23127.0618.0002	23.127.0618	com.microsoft.OneDrive	10.14	d263a119a0f3690f32bb8a4a45cc93b01219f23db416018de6535067e308f6f1	

Downloads Documents Tools Preferences Matrix Mac App Store MAU Status msupdate Calendar Update Size CVE Counter Silicon/M1 Videos Articles A-Team


Microsoft Office for Mac - Features and Licensing Matrix Page Last Updated: September 7, 2021 @ 10:54am Pacific Time


Debut Build	Feature Description	Application(s)		2019 VL	2021 VL	O365 Subscription	More Information	Screenshot	Comments
16.52	Update section names inline	PowerPoint		Yes	Yes	Yes		<u>lmage</u>	Double click on section names to quickly update
16.52	Support for inserting Flipgrid videos and shorts	PowerPoint	No	Yes	Yes	Yes	<u>Link</u>		
16.52	Customizable themes, colors and accents	Outlook	No	Yes	Yes	Yes	<u>Link</u>	<u>lmage</u>	
16.52	Manage data source settings and permissions (Power Query)	Excel	No	No	No	Yes	<u>Link</u>		
16.51	Dark mode canvas	Word	No	Yes	Yes	Yes	<u>Link</u>	<u>lmage</u>	
16.50	AutoSave and coauthoring on encrypted documents with sensitivity labels	Word;Excel;PowerPoint	No	No	No	Yes	<u>Link</u>		
16.50	Insert video from online library (aka Stock Videos)	PowerPoint	No	No	No	Yes		<u>lmage</u>	
16.49	Linked data types	Excel	No	No	No	Yes	<u>Link</u>		
16.49	Editor (writing suggestions)	Word;Outlook	No	No	No	Yes			
16.49	Dictate messages with voice commands	Word;Outlook	No	No	No	Yes		<u>lmage</u>	Microphone icon in the ribbon of the compose window
16.49	Share message to Teams	Outlook	No	Yes	Yes	Yes			Share to Teams icon in the ribbon
16.49	Refreshed start screen using Fluent design language	Word;Excel;PowerPoint	No	Yes	Yes	Yes	<u>Link</u>		Requires macOS Big Sur or later
16.48	Unhide multiple sheets	Excel	No	Yes	Yes	Yes	<u>Link</u>	<u>lmage</u>	
16.48	Rehearse with Presenter Coach	PowerPoint	No	No	No	Yes	<u>Link</u>	<u>lmage</u>	
16.47	Record Slide Show improvements	PowerPoint	No	Yes	Yes	Yes	<u>Link</u>		
16.46	Export slides as animated GIF	PowerPoint	No	No	No	Yes		<u>lmage</u>	
16.45	Auto-apply or recommend sensitivity labels	Word;Excel;PowerPoint;Outlook	No	No	No	Yes	<u>Link</u>		
16.44	Use the Watch Window to view the result of a forumla or cell	Excel	No	No	No	Yes	<u>Link</u>		
16.44	Present slide show in a window	PowerPoint	No	Yes	Yes	Yes	<u>Link</u>		
16.43	Improved search for content	PowerPoint	No	Yes	Yes	Yes			
16.42	New Outlook interface	Outlook	No	Yes	Yes	Yes	<u>Link</u>		Users in classic Outlook will be asked if they want to opt-in
16.42	O365 Groups in Outlook for Mac now support classification labels	Outlook	No	No	No	Yes	<u>Link</u>		See section: October 14, 2019 release
16.42	Stock Images	Word;Excel;PowerPoint	No	No	No	Yes	<u>Link</u>	<u>lmage</u>	
16.42	Improved audio recording experience	PowerPoint	No	Yes	Yes	Yes			
16.42	Visio Data Visualizer	Excel	No	Yes	Yes	Yes	Link		








```
sudo installer -pkg /path/to/
Microsoft_365_and_Office_16.75.23070901_BusinessPro_Installer.pkg
-target /
```



































Manage



Manage



•	• • • <		â docs.google.com	/spreadsheets/d	/1ESX5td0y0OP3jdz	Z-C2SItm-TUi-iA_	_bcHCBvaoCu	mw/edit#gid=0	⊕ ₾ + ©
H		reference Keys ☆ ﴾ capacitation							Share Share Share
合	● 100% ▼	∠ Comment only							^
A1	→ fx Application	n							
	A	В	С	D	E	F	G	Н	1
1	Application	Domain	Key	Туре	Profile Manageable	Supported Software Version	Default Value	Comments	Example Command
2	Other	com.microsoft.autoupdate.fba	SendAllTelemetryEnabled	Boolean	Yes	15.x - 16.27	TRUE	Set to false to send minimal heartbeat data, no application usage, and no environment details. This key was removed in 16.27 / MAU 4.12 and there is nothing left to manage in this preference domain.	defaults write com.microsoft.autou SendAllTelemetryEnabled -bool TI
3	MAU	com.microsoft.autoupdate2	AcknowledgedDataCollectionPolicy	String	Yes	MAU 4.12 (16.27.0)	RequiredDat aOnly	The first time 4.12 or later of MAU is launched, users will see a Required Data Notice dialog. If you don't want your users to see this dialog, you can set the preference to either RequiredDataOnly or RequiredAndOptionalData. Regardless of which value you set, the dialog won't be shown to your users. If you let your users see this dialog, then when the user chooses OK, the value RequiredDataOnly is written and the dialog is not shown to the user again.	
4	MAU	com.microsoft.autoupdate2	Applications	Dictionary	Yes			Register applications that MAU should update. If this is not managed MAU might have issues finding updates for applications that a user has never opened.	
5	MAU	com.microsoft.autoupdate2	ChannelName	String	Yes	MAU 3.3 (15.17.0)	Production (Inferred)	Set the update channel. Valid arguments: Production, External, InsiderFast, Custom.	defaults write com.microsoft.autou ChannelName -string 'Custom'
6	MAU	com.microsoft.autoupdate2	DisableEndOfSupportNotifications	Boolean	Yes		FALSE	Set to TRUE to prevent Office 2016 end of support notification	defaults write com.microsoft.autou DisableEndOfSupportNotifications TRUE
7	MAU	com.microsoft.autoupdate2	DisableInsiderCheckbox	Boolean	Yes	MAU 3.4 (15.18.0)	FALSE	Set to true to make the "Join the Office Insider Program" checkbox unavailable/greyed out to users	defaults write com.microsoft.autou DisableInsiderCheckbox -bool TR
8	MAU	com.microsoft.autoupdate2	EnableCheckForUpdatesButton	Boolean	Yes	MAU 3.18	TRUE	Enables/disables the Check For Updates button in the MAU GUI.	defaults write com.microsoft.autou EnableCheckForUpdatesButton -t
9	MAU	com.microsoft.autoupdate2	ExtendedLogging	Boolean	Yes	MAU 3.8 (15.27.0)		Enable extended logging for the MAU client. Writes to /Library/Logs/Microsoft/autoupdate.log	defaults write com.microsoft.autou ExtendedLogging -bool TRUE
10	MAU	com.microsoft.autoupdate2	HowToCheck	String	Yes	MAU 3.8	AutomaticCh eck	Change how MAU interacts with updates. Note that AutomaticDownload will do a download and install silently if possible. Valid values are: Manual AutomaticCheck, AutomaticDownload	, defaults write com.microsoft.autou HowToCheck -string 'AutomaticDo
11	MAU	com.microsoft.autoupdate2	ManifestServer	String	Yes	MAU 3.8 (15.27.0)		Set a custom manifest server. Useful for "locking" clients to a specific version of Office.	defaults write com.microsoft.autou ManifestServer -string 'https://serv
12	MAU	com.microsoft.autoupdate2	SendAllTelemetryEnabled	Boolean	Yes	MAU 3.x - MAU 4.11	TRUE	Set to false to send minimal heartbeat data, no application usage, and no environment details. Replaced by AcknowledgedDataCollectionPolicy in MAU 4.12.	defaults write com.microsoft.autou SendAllTelemetryEnabled -bool TI
13	MAU	com.microsoft.autoupdate2	StartDaemonOnAppLaunch	Boolean	Yes		TRUE	Controls whether the 'Microsoft AU Daemon' should be launched when ar Office application is launched. If this value is set to 0, updates will not be detected, regardless of the 'HowToCheck' preference, and users will need to use the Help -> Check for Updates menu option to see if updates are available.	
14	MAU	com.microsoft.autoupdate2	UpdateCache	String	Yes	MAU 3.8 (15.27.0)		Set a custom cache for clients to use when checking for updates. IE - packages, dmgs.	defaults write com.microsoft.autou UpdateCache -string 'https://serve
15					.,			Change how often the MAU daemon will look for updates. By default this is 720 min (12 hrs). By reducing this value MAU will look for updates	defaults write com.microsoft.autou
	■ 3 Prefs ▼	README ▼ Application N	ames ▼			Remot	e Desktop		Explore <

What settings do you care about

- First launch
 - License
 - Prompts
- Local vs. Online Save
- Security Settings
 - Export e-mail
 - Remote Content
- OneDrive
 - Bandwidth
 - Personal Sync


How are we going to make and deploy them?

- Terminal
 - defaults command
- Custom Profile XML
 - Text editor
 - <u>iMazing Profile Editor</u>
 - Deploy
 - MDM
 - Drag and drop local install

How are we going to make them?

```
Untitled.mobileconfig — Edited
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE plist PUBLIC "-//Apple//DTD PLIST 1.0//EN" "http://www.apple.com/DTDs/PropertyList-1.0.dtd">
<pli><pli><pli>version="1.0">
<dict>
     <key>PayloadContent</key>
     <array>
          <dict>
                <key>AutomaticallyDownloadExternalContent</key>
               <integer>0</integer>
                <key>PayloadDisplayName</key>
               <string>Microsoft Outlook</string>
               <key>PayloadIdentifier</key>
               <string>com.microsoft.Outlook.A4222FDB-C876-4627-B422-893BBD5A6209
               <key>PayloadType</key>
               <string>com.microsoft.Outlook</string>
                <key>PayloadUUID</key>
               <string>A4222FDB-C876-4627-B422-893BBD5A6209</string>
               <key>PayloadVersion</key>
               <integer>1</integer>
          </dict>
     </array>
     <key>PayloadDisplayName</key>
     <string>Untitled</string>
     <key>PayloadIdentifier</key>
     <string>carlson-addigy-m1.44C6E95F-1932-46F0-A709-B3F041155176</string>
     <key>PayloadType</key>
     <string>Configuration</string>
     <key>PayloadUUID</key>
     <string>7A8DABE1-5D82-4350-9E3C-62BC8C9FF1A7</string>
     <key>PayloadVersion</key>
     <integer>1</integer>
</dict>
</plist>
```

How are we going to make them?




First launch

Command Line/Script

defaults write com.microsoft.office OfficeAutoSignIn -bool TRUE

Config Profile Settings




Category	Details
Domain	com.microsoft.office
Key	OfficeAutoSignIn
Data Type	Boolean
Possible values	false (default) true
Apps	Word, Excel, PowerPoint, Outlook, OneNote

First launch... now

Command Line/Script

defaults write com.microsoft.office
OfficeActivationEmailAddress -string "clippy@psu.edu"

Config Profile Settings



Category	Details
Domain	com.microsoft.office
Key	OfficeActivationEmailAddress
Data Type	String
Possible values	Various (example: "clippy@psu.edu")
Apps	Word, Excel, PowerPoint, Outlook, OneNote

First launch... now... now





NEW CHALLENGER APPROACHING


First launch... now... now... now



First launch

Command Line/Script

defaults write com.microsoft.office ShowDocStageOnLaunch -bool FALSE





Category	Details
Domain	com.microsoft.office
Key	ShowDocStageOnLaunch
Data Type	Boolean
Possible values	true (default) false
Apps	Word, Excel, PowerPoint

Local vs. Online Save

Command Line/Script

defaults write com.microsoft.office DefaultsToLocalOpenSave -bool TRUE






Category	Details
Domain	com.microsoft.office
Key	DefaultsToLocalOpenSave
Data Type	Boolean
Possible values	false (default) true
Apps	Word, Excel, PowerPoint

Security Settings (export mail)

Command Line/Script

defaults write com.microsoft.Outlook DisableExport -bool TRUE



Category	Details
Domain	com.microsoft.Outlook
Key	DisableExport
Data Type	Boolean
Possible values	false (default) true
Apps	Outlook

Security Settings (remote content)

Command Line/Script

defaults write com.microsoft.Outlook AutomaticallyDownloadExternalContent -int X



Category	Details
Domain	com.microsoft.Outlook
Key	AutomaticallyDownloadExternalContent
Data Type	Integer
	0 = Never1 = Messages from contacts2 = In all messages
Apps	Outlook

One Drive (bandwidth)

Command Line/Script

Null



Category	Details
Domain	com.microsoft.OneDrive
Key	DownloadBandwidthLimited UploadBandwidthLimited
Data Type	Integer
Possible values	50 and 100000 to specify the download throughput in KB/sec that the sync app can use
Apps	OneDrive

One Drive (Personal Sync)

Command Line/Script

defaults write com.microsoft.OneDrive DisablePersonalSync -bool TRUE




Category	Details
Domain	com.microsoft.OneDrive
Key	DisablePersonalSync
Data Type	Boolean
Possible values	true
Apps	OneDrive

Many more can be found for OneDrive at:

https://learn.microsoft.com/en-us/sharepoint/deployand-configure-on-macos









Microsoft AutoUpdate



Required Data Notice


Microsoft AutoUpdate helps update your Microsoft applications for Mac. We collect required diagnostic data to keep Microsoft AutoUpdate secure, up-to-date and performing as expected on the device it is installed on. This data relates to the basic functioning of Microsoft AutoUpdate and does not include your name, file contents or information about apps unrelated to the Microsoft applications it helps keep up-to-date. The applications Microsoft AutoUpdate services may provide you with an option to send optional diagnostic data to Microsoft. If you opt-in to sending optional diagnostic data that choice will also apply to Microsoft AutoUpdate.


Learn More >

OK










Command Line/Script


defaults write com.microsoft.autoupdate2 AcknowledgedDataCollectionPolicy RequiredDataOnly



Category	Details
Domain	com.microsoft.autoupdate2
Key	AcknowledgedDataCollectionPolicy
Data Type	String
Possible values	RequiredDataOnly

Command Line/Script


defaults write com.microsoft.autoupdate2 HowToCheck -string 'AutomaticDownload'



Category	Details
Domain	com.microsoft.autoupdate2
Key	HowToCheck
Data Type	String
Possible values	Manual, AutomaticCheck, AutomaticDownload (will do a download and install silently if possible)

Command Line/Script

defaults write com.microsoft.autoupdate2 UpdateCheckFrequency -int 60




Category	Details
Domain	com.microsoft.autoupdate2
Key	UpdateCheckFrequency
Data Type	Integer
	Default is 720 minute (12 hrs). Input any number for a minute value that you desire

Command Line/Script

Null

Config Profile Settings




Category	Details
Domain	com.microsoft.autoupdate2
Key	UpdateDeadline.DaysBeforeForcedQuit
Data Type	Dictionary
Possible values	<pre><key>UpdateDeadline.ApplicationsForcedUpdat eSchedule</key> <dict> <key>/Applications/Microsoft Excel.app<!-- key--> <dict> <key>Application ID</key> <string>XCEL2019</string> <key>ForcedUpdateDate</key> <date>2019-07-20T20:01:20Z</date> <key>ForcedUpdateVersion</key> <string>16.56.19060901</string> </dict> </key></dict></pre>


https://learn.microsoft.com/en-us/deployoffice/mac/mau-deadline

Command Line/Script

defaults write com.microsoft.autoupdate2 DisableInsiderCheckbox -bool TRUE




Category	Details
Domain	com.microsoft.autoupdate2
Key	DisableInsiderCheckbox
Data Type	Boolean
Possible values	Default is false. Set to true to make the "Join the Office Insider Program" checkbox unavailable/greyed out to users








Single Sign On Extension




















Conditional Access



Why?

- Zero Trust Complaint Device
 - If the device is registered its state is known
 - Meets compliance benchmarks
 - State is sent to Azure AD
- Required by regulation or security policy
- More access control outside of just the identity
 - Global/geographic sign-in rules
 - Session controls



How do I get it on my Macs?

- Intune as an MDM
 - Workplace Join (WPJ) workflow adds certificate at enrollment
- Partner Compliance Management
 - Launched in July 2020
 - Any MDM vendor that is in the partner program can integrate
 - Jamf, Addigy, VMWare, etc.
 - Sending a yes/no flag (as well as device name, user, and OS etc.)
 - Allows for Conditional Access policy enforcement and state sync with other MDM profile installed
 - WPJ -r
- Partner Device Management (2017)

Conditional Access















CONFIG





All > Device Compliance Registration **Device Compliance Registration**

Run this item to register your computer for device compliance.

You will be prompted to sign in to Company Portal using your Azure AD credentials.



















Register












































Conditional Access





MDM

Microsoft Intune

Microsoft Intune

Microsoft Intune

Compliant

Yes

Yes


No

Registered

4/7/2023, 8:4

3/20/2023, 1:


1/30/2023, 3:





Compliant
Check Status
Conditional Access State:
Registered ✓
Version 2.3.15


Firewall Enabled




























Continue


Cancel

Show Certificate























Activity Details: Sign-ins

Basic info Device info **Authentication Details Conditional Access** Location Report-only 7/18/2023, 10:00:29 PM Date Request ID Correlation ID Authentication requirement Single-factor authentication Status Success Continuous access evaluation No Follow these steps: **Troubleshoot Event** Launch the Sign-in Diagnostic. 1. Review the diagnosis and act on suggested fixes. **Bryce Carlson** User bryce.carlson@addigy.com Username User ID Sign-in identifier User type Member Cross tenant access type None **Application** OfficeHome Application ID 4765445b-32c6-49b0-83e6-1d93765276ca OfficeHome Resource Resource ID Resource tenant ID Home tenant ID


Activity Details: Sign-ins




 \times

Activity Details: Sign-ins

Basic info Locati	ion Device info	Authentication Details	Conditional Access	Report-only
Device ID		41d0		
Browser	Safari 16.5.2			
Operating System	MacOs			
Compliant	No			
Managed	Yes			
Join Type	Azure AD registered			













Q&A



Thank You

Post session links and notes

- Blog post about WPJ cert. removal
 - https://www.macbuddy.info/blog/lets-get-conditional-unconditional-love-scripted
- WPJ PRT
 - https://learn.microsoft.com/en-us/azure/active-directory/devices/troubleshoot-mac-sso-extension-plugin#checking-keychain-access-for-prt
- Company Portal Logs
 - https://learn.microsoft.com/en-us/mem/intune/user-help/send-errors-macos
- Jamf Integration Slack Room
 - https://learn.microsoft.com/en-us/mem/intune/user-help/send-errors-macos